

**Van** **M**ar  
equipment corp

*The Solution*  
**To Tomorrow's  
Cleaning Needs**



# Walk-Behind Auto Scrubbers

## VMS22T & VMS20M



Features include: a convenient key-type switch. Battery meter with timing function. Maintenance-free battery ensures 200+ minutes of operation. Powerful AMETEK vacuum motor with V-shaped squeegee. Squeegee blades can be used in four directions. Special air ducts for motor intake and exhaust. Brush system has automatic assembly and disassembly design.

## VMS28T



Features include: easy to operate instrument panel. Recovery tank can be overturned at 90 degrees for battery access & maintenance. Powerful AMETEK vacuum motor with V-shaped squeegee. Squeegee blades can be used in four directions. Special air ducts for motor intake and exhaust.

## VMS32T



Features include: easy to operate instrument panel. Recovery tank can be overturned at 90 degrees for battery access & maintenance. Powerful AMETEK vacuum motor with V-shaped squeegee. Squeegee blades can be used in four directions. Special air ducts for motor intake and exhaust.

# Ride-On Auto Scrubbers

## VMS28RT & VMS32RT



Features include: scrub quietly at low sound levels (58db), Recovery tank can be overturned at 90 degrees for battery access & maintenance. Fast speed recharging port. Transparent pipe allows viewing of water level in solution tank. Powerful AMETEK 3-stage vacuum motor with V-shaped squeegee assembly.

## VMS22MRT



Features include: scrub quietly at low sound levels (58db), Powerful AMETEK 3-stage vacuum motor with MWR squeegee blades with curved squeegee assembly. 120-amp maintenance-free batteries. Floating brush system.

## VMS28MRT



Features include: scrub quietly at low sound levels (58db), Fast speed recharging port. Powerful AMETEK 3-stage vacuum motor with V-shaped squeegee blades.

# Other Commercial Cleaning Equipment



**VMS 14CE**  
ESCALATOR CLEANING MACHINE



**VMSB-3**  
THREE-SPEED AIR BLOWER

EQUIPMENT SPECIFICATIONS									
MODEL	VMS22T	VMS20M	VMS28T	VMS32T	VMS32RT	VMS22MRT	VMS28RT	VMS28MRT	VMS14CE
Cleaning Path	22"	20"	28"	32"		22"	28"	28"	13"
Productivity (per hour)	27,125 sq ft	20,990 sq ft	33,906 sq ft	41,172 sq ft	60,170 sq ft	36,167 sq ft	48,976 sq ft	48,976 sq ft	13,186 sq ft
Drive System Brush Motor	560w	750w	380w		560w		400w	400w	180w
Solution Tank Capacity	13 gallons		18 gallons		29 gallons	15 gallons	29 gallons	18 gallons	3 gallons
Recovery Tank Capacity	13 gallons		19 gallons		33 gallons	15 gallons	33 gallons	19 gallons	4 gallons
Vacuum Motor	450w (AMETEK)								1000w
Battery System	24V (2 x 12V batteries)		12VDC (2 pcs)	24V (2 x 12V batteries)	6VDC (4 pcs)	24V (2 x 12V batteries)	12VDC (2 pcs)	12VDC (2 pcs)	
Propelling Motor	350w		350w	350w	350w	400w	450w	450w	
Squeegee Width	32"		40"	43"	43"	32"	40"		16"
Net Weight w/o Batteries	158 lbs	198 lbs	352 lbs	216 lbs	992 lbs	462 lbs	491 lbs	639 lbs	
Dimensions	49x23x38		48x29x38	54x35x40	58x26x52	47x23x41	58x26x52	47x22x47	26x17x39